

JOURNAL/ BOOK CHAPTER/ CONFERENCE PUBLICATIONS

Zhu, W. H.; Zhu, Y.; Davis Z.; Tatarchuk, B. J. Energy efficiency and capacity retention of Ni–MH batteries for storage applications. *Applied Energy* **2013**, 106, 307-313.

Zhu, Y.; Zhu, W. H.; Tatarchuk, B. J. In-Situ Dynamic Characterization of Energy Storage and Conversion Systems. Book Chapter 10 in: *Energy Storage - Technologies and Applications*; Ed. Ahmed Zobaa, pp.239-270, InTech: Croatia, ISBN: 978-953-51-0951-8, 2013.

Zhu, W. H.; Zhu, Y.; Tatarchuk, B. J. Rate Performance and Energy Efficiency of Lithium-Ion Batteries for Storage Applications. in: *Proceedings of the 45th Power Sources Conference*, pp.13-16, Las Vegas, Nevada, June 11-14, 2012.

Zhu, Y.; Zhu, W. H.; Tatarchuk, B. J. An In-Situ Dynamic Performance Study on a HT-PEM Stack and Its Comparison to a Traditional PEM Stack. in: *Proceedings of the 45th Power Sources Conference*, pp.139-142, Las Vegas, Nevada, June 11-14, 2012.

Zhu, Y.; Zhu, W. H.; Tatarchuk, B. J. Dynamic Analysis and Diagnostics of a High Temperature PEM Fuel Cell Stack. in: *ECS Transactions - Honolulu, Hawaii*, Volume 50, Polymer Electrolyte Fuel Cells 12 (PEFC12), Honolulu, HI, October 7-12, 2012.

Zhu, Y.; Zhu, W. H.; Tatarchuk, B. J. *In-situ* Performance Analysis of a High Temperature Proton Exchange Membrane Fuel Cell Stack at Loads. in: *ECS Transactions - Seattle, WA*, Volume 45, Electrochemical Impedance Spectroscopy: Modeling and Interpretation, Seattle, WA, May 6-10, 2012.

Payne, R.U.; Zhu, Y.; Zhu, W. H.; Timper M. S.; Elangovan S.; Tatarchuk, B. J. Diffusion and Gas Conversion Analysis of Solid Oxide Fuel Cells at Loads via AC Impedance. *International Journal of Electrochemistry*, **2011**, Volume 2011, Article ID 465452, 11 pages.

Zhu, W. H.; Zhu, Y.; Tatarchuk, B. J. A simplified equivalent circuit model for simulation of Pb–acid batteries at load for energy storage application. *Energy Conversion and Management* **2011**, 52, 2794–2799.

Zhu, Y.; Zhu, W. H.; Tatarchuk, B. J. in: *Proceedings of the AIChE Annual Meeting: Fuels and petrochemicals division - Fuel cell technology and alternate fuels & new technology*, #641a, pp.1-7, Salt Lake City, UT, November 7-12, 2010.

Zhu, W. H.; Zhu, Y.; Tatarchuk, B. J. in: *Proceedings of the AIChE Annual Meeting: Materials Engineering and Sciences Division - Composites for Energy Applications*, #139c, pp.1-3, Salt Lake City, UT, November 7-12, 2010.

Zhu, Y.; Zhu, W. H.; Tatarchuk, B. J. in: *Proceedings of the 44th Power Sources Conference*, pp.401- 404, Las Vegas, Nevada, June 14-17, 2010.

Zhu, W. H.; Zhu, Y.; Tatarchuk, B. J. in: *Proceedings of the 44th Power Sources Conference*, pp.75-78, Las Vegas, Nevada, June 14-17, 2010.

Zhu, Y.; Zhu, W. H.; Tatarchuk, B. J. in: *Proceedings of the AIChE Annual Meeting: Fuels and petrochemicals division: fuel cell technology*, #89e, Nashville, TN, November 8-13, 2009.

Zhu, W. H.; Zhu, Y.; Tatarchuk, B. J. in: *Proceedings of the AIChE Annual Meeting: Sustainable Electricity: Generation and Storage*, pp.1-4, #676d , Nashville, TN, November 8-13, 2009.

Zhu, W. H.; Payne, R. U.; Nelms, R. M.; Tatarchuk, B. J. Equivalent circuit elements for PSpice simulation of PEM stacks at pulse load. *Journal of Power Sources* **2008**, 178, 197–206.

Zhu, W.H.; Tatarchuk B. J. in: *Proceedings of the 16th DICP Symposium on Fuel Cells*, pp.85-86, Dalian, China, May 25-28, 2008.

Payne, R. U.; Zhu, W. H.; Tatarchuk, B. J. in: *Proceedings of the 43rd Power Sources Conference*, pp.327-330, Philadelphia, Pennsylvania, July 7-10, 2008.

Zhu, W. H.; Payne, R.U.; Zhu, Y.; Tatarchuk, B. J. in: *Proceedings of the AIChE Annual Meeting: Battery and Fuel Cell Energy on Vehicles*, pp.1-3, #457a, Philadelphia, PA, November 16-21, 2008.

Zhu, Y.; Payne, R. U.; Zhu, W. H.; Tatarchuk, B. J. in: *Proceedings of the AIChE Annual Meeting: Novel Electrochemistry and Materials for Fuel Cells II*, #768d, Philadelphia, PA, November 16-21, 2008.

Payne, R. U.; Yang; H., Zhu, W. H.; Pari, N.; Kennedy; D. M.; Fergus, J.; Flowers, G. T.; Tatarchuk, B. J. Designing for Durability and Performance in Extreme Environments: Contaminated Feeds and Mechanical Vibrations. Book Chapter 3 in: *FUEL CELLS DURABILITY & PERFORMANCE*; 2nd Edition, Knowledge Press: Brookline, MA, ISBN: 1594301247, April 2007.

Kennedy, D. M.; Cahela, D. R.; Zhu, W. H.; Westrom, K. C.; Nelms, R. M.; Tatarchuk, B. J. Fuel cell cathode air filters: Methodologies for design and optimization. *Journal of Power Sources* **2007**, 168, 391–399.

Zhu, W. H.; Payne, R.U.; Tatarchuk, B. J. PEM stack test and analysis in a power system at operational load via ac impedance. *Journal of Power Sources* **2007**, 168, 211-217.

Zhu, W. H.; Payne, R.U.; Nelms, R.M.; Tatarchuk, B. J. in: *Proceedings of the AIChE Annual Meeting: Fuel Cells and Alternative Fuel Systems - Fuel Cell Durability*, pp.1-4, # 295e, Salt Lake City, Utah, November 4-9, 2007.

Payne, R.U.; Zhu, W. H.; Cahela, D. R.; Tatarchuk, B. J. in: *Proceedings of the AIChE Annual Meeting: Fuel Cells and Alternative Fuel Systems - Fuel Cell Durability*, Salt Lake City, Utah, November 4-9, 295f, 2007.

Nickell, R. A.; Zhu, W. H.; Payne, R.U.; Cahela, D. R.; Tatarchuk, B. J. Numerical analysis of Hg/HgO reference electrode and hydrogen evolution potentials for use in aqueous sodium hydroxide. *J. Power Sources* **2006**, 161, 1217-1224.

Zhu, W. H.; Payne, R. U.; Tatarchuk, B. J. Critical flow rate of anode fuel exhaust in a PEM fuel cell system. *J. Power Sources* 2006, 156, 512–519.

Zhu, W. H.; Payne, R. U.; Cahela, D. R.; Nelms, R. M.; Tatarchuk, B. J. in: *Proceedings of the AIChE Annual Meeting: Fuel Cell Technology II*, 345e, San Francisco, California, November 12-17, 2006.

Payne, R. U.; Zhu, W. H.; Tatarchuk, B. J. in: *Proceedings of the AIChE Annual Meeting: Fuel Cell Technology IV*, 547e, San Francisco, California, November 12-17, 2006.

Zhu, W. H.; Payne, R.U.; Cahela, D. R.; Nelms R. M.; Tatarchuk, B. J. in: *Proceedings of the 42nd Power Sources Conference*, June 12-15, pp. 147-150, Philadelphia, Pennsylvania, 2006.

Zhu, W. H.; Payne, R.U.; Cahela, D. R.; Nelms R. M.; Tatarchuk, B. J. in: *Proceedings of the AIChE Annual Meeting: Fuel Cell Technology III: System Integration and Performance*, pp.1-3, 215c, Cincinnati, Ohio, 2005.

Zhu, W. H.; Payne, R.U.; Cahela, D. R.; Tatarchuk, B. J. Uniformity analysis at MEA and stack Levels for a Nexa PEM fuel cell system. *J. Power Sources* **2004**, 128, 231–238.

Zhu, W. H.; Payne, R.U.; Lu Y.; Tatarchuk, B. J. in: *Proceedings of the AIChE National Meeting: Fuel Cell Technology II*, pp.1-5, 514b, Austin, Texas, 2004.

Zhu, W. H.; Payne, R.U.; Cahela, D. R.; Tatarchuk, B. J. in: *Proceedings of the AIChE National Meeting: Fuel Cell Technology I*, pp.1-5, 14g, Austin, TX, November 2004.

Zhu, W. H.; Payne, R. U.; Yang, H.; Tatarchuk, B. J. in: *Proceedings of the 41st Power Sources Conference*, pp.306-309, Philadelphia, PA, June 14-17, 2004.

Zhu, W. H.; Cahela, D. R.; Payne, R. U.; Tatarchuk, B. J. in: *Proceedings of the 41st Power Sources Conference*, pp. 310-313, Philadelphia, PA, June 14-17, 2004.

Zhu, W. H.; Poole, B. A.; Cahela, D. R.; Tatarchuk, B. J. New structures of thin air cathodes for Zn-air batteries. *J. Applied Electrochemistry* **2003**, 33, 29–36, 2003.

Zhu, W. H.; McGee, B. R.; Nelms, R. M.; Tatarchuk, B. J. in: *Proceedings of the 40th Power Sources Conference*, pp. 321-324, Cherry Hill, New Jersey, June 10-13, 2002.

Zhu, W. H.; Cahela, D. R.; Tatarchuk, B. J. in: *Proceedings of the 40th Power Sources Conference*, pp. 163-166, Cherry Hill, New Jersey, June 10-13, 2002.

Zhu, W.H.; Flanzer, M.E.; Tatarchuk, B.J. Nickel-Zinc accordion-fold batteries with microfibrinous electrodes using a papermaking process. *J. Power Sources* **2002**, 112, 353–366.

Zhu, W.H.; Durben, P.J.; Tatarchuk, B.J. Microfibrinous nickel substrates and electrodes for battery system applications. *J. Power Sources* **2002**, 111(2), 221-231.

Zhu, W.H.; Zhang, G. D.; Zhang, D.J.; Ke, J. J. Gas Recombination in Sealed Ni-MH_x cells. *J. Chem. Tech. Biotechnol.* **1997**, 69, 121-129.

Zhu, W.H.; Zhang, D.J.; Zhang, G. D.; Ke, J. J. Sealed Nickel-Cadmium Cells of Low Pressure Structure. *Battery Bimonthly* **1997**, 27 (1), 7-13.

Zhu, W.H.; Zhang, D.J.; Zhang, G. D.; Ke, J. J. Preliminary Research on the Reaction Mechanism of Nickel Hydroxide Electrode. *Chinese Journal of Power Sources (Chinese)*, **1996**, 20 (6), 235-237 and 251.

Zhu, W.H.; Zhang, D.J.; Ke, J. J. Electrochemical Characteristics of Encapsulated Metal-Hydride-Alloy Electrodes. *Materials Research Bulletin* **1996**, 31 (6), 673-682.

Zhu, W. H.; Zhang, D. J.; Ke, J. J. Technique Development of Nickel Electrodes in Secondary Batteries. *Environmental Research Forum*, Vols. 1-2, Chemistry and Energy, Transtec Publications, Switzerland, pp. 263-270, 1996.

Zhu, W.H.; Zhang, D.J.; Ke, J. J. Electrochemical Impregnation and Performance of Nickel Hydroxide Electrodes with Porous Plaques of Hollow Nickel Fibers. *J. Power Sources* **1995**, 56 (2), 157-164.

Zhu, W.H.; Yi, B.L. Reaction Model at the Anode Surface in the Chlorate Cell Process. (invited), *J. Graduate School Academia Sinica (Chinese)* **1995**, 12 (2), 157-164.

Zhu, W.H.; Zhang, D.J.; Zhang, G. D.; Ke, J. J. Sintering Preparation for Fibrous Plaques Containing Hollow Nickel Fiber. *Materials Research Bulletin* **1995**, 30 (9), 1133-1140.

Zhu, W.H.; Ke, J. J.; Yu, H.M.; Zhang, D.J. A Study on Electrochemistry of Nickel Hydroxide Electrode with Various Additives. *J. Power Sources* **1995**, 56 (1), 75-79.

Zhu, W.H.; Zhang, D.J.; Ke, J. J. Study of Chemical Impregnation for Fibrous Nickel Plaques. *Battery Bimonthly (Chinese)* **1995**, 25 (3), 105-107.

Zhu, W.H.; Zhang, D.J.; Zhang, G. D.; Ke, J. J. High Specific Capacity Nickel Electrodes with Hollow Fibrous Substrate. *Chinese Journal of Power Sources (Chinese)* **1995**, 20 (1), 5-7 and 43.

Zhu, W.H.; Zhang, D.J.; Ke, J.J. New Type Nickel Electrodes in Alkaline Secondary Batteries. *Battery Bimonthly (Chinese)* **1994**, 24 (3), 127-130.

Baolian Y., Wenhua Z. Current Efficiency in the Chlorate Cell Process with an Oxygen Cathode (III) A Gas Analysis Method for Chlorate Current Efficiency. *J. Applied Electrochemistry* **1994**, 24 (6), 503- 508.

Zhu, W.H.; Ke, J.J. New Inorganic Whiskers---Potassium Titanate Whiskers. (invited), *Chemistry (Chinese)* **1994**, No.4, 5-10.

Zhu, W.H.; Yi, B.L. Current Efficiency in the Chlorate Cell Process with an Oxygen Cathode (II) Development of Theory on Anode Diffusion Layer. *J. Chemical Industry and Engineering (Chinese)* **1993**, 44 (4), 402-408.

Zhu, W. H.; Ke, J. J. New Materials of Inorganic Whiskers. (invited), *Proceedings of the Annual Meeting of 1993 (Chinese)*, Chinese Inorganic Chemical Engineering Society of Acid, Alkali and Salts, pp. 38-42, Tianjin, 1993.

Zhu, W.H.; Yi, B.L. Current Efficiency in the Chlorate Cell Process with an Oxygen Cathode (I) Influence of Various Factors on Chlorate Current Efficiency in Electrolytic System. *J. Chemical Industry and Engineering (Chinese)* **1993**, 44 (4), 395-401.

ABSTRACTS/ PRESENTATIONS/ POSTERS

Zhu, W. H.; Zhu, Y.; Tatarchuk, B. J. Impedance and self-discharge mechanism studies of nickel metal hydride batteries for energy storage applications. *APS April Meeting 2013*, American Physical Society, APR13-2013-000439, Session Q15. Energy Research and Applications, 10:45 AM EST on Monday, Plaza Court 4, Denver, CO., 04/15/2013.

Zhu Y.; Zhu, W. H.; Tatarchuk, B. J. Dynamic Analysis and Diagnostics of a High Temperature PEM Fuel Cell Stack. Presented to *PRiME 2012 (222nd ECS Meeting & the Electrochemical Society of Japan 2012 Fall Meeting)*: B9 - Polymer Electrolyte Fuel Cells 12 (PEFC 12), #1500, Honolulu, HI, October, 2012.

Zhu, W. H.; Zhu, Y.; Tatarchuk, B. J. Energy Efficiency of Ni-MH Battery for Rapid Storage Application. *PITTCON 2012 – The Pittsburgh Conference on Analytical Chemistry and Applied Spectroscopy*, Session 1690 - Energy & Fuels: Advanced Materials and Characterization Methods, #1690-6, Orlando, FL, March 14, 2012.

Zhu Y.; Zhu, W. H.; Tatarchuk, B. J. *In-situ* Performance Analysis of a High Temperature Proton Exchange Membrane Fuel Cell Stack at Loads. Presented to *221st ECS Meeting: I8 - Electrochemical Impedance Spectroscopy: Modeling and Interpretation*, #1595, Seattle, WA, May 9th, 2012.

Zhu Y.; Zhu, W. H.; Tatarchuk, B. J. *In-situ* Electrochemical Characterization of a Solid Oxide Fuel Cell at Loads. Presented to Graduate Student Council Research Week, Auburn University, Feb. 28th & April 2nd, 2012.

Zhu, Y.; Zhu, W. H.; Tatarchuk, B. J. Effect of Cathode Inlet Gas on Solid Oxide Fuel Cells via AC Impedance Measurement. Alternative Fuels and New Technology: Fuel Cell Technology II, 373c, presented to *The AIChE Annual Meeting*, Minneapolis, MN, October 16-21, 2011.

Zhu, Y.; Zhu, W. H.; Tatarchuk, B. J. In-Situ Electrical Characterization of a High Temperature PEM Fuel Cell Stack at Loads. Alternative Fuels and New Technology: Fuel Cell Technology II, 373b, presented to *The AIChE Annual Meeting*, Minneapolis, MN, October 16-21, 2011.

Zhu, W. H.; Zhu, Y.; Tatarchuk B. J. Comparison of On-Board H₂ Production from Non-Fossil Fuel Feedstocks. Hydrogen Production and Storage, Environmental and Nuclear Engineering Division: Renewable Hydrogen Production I, 259b, presented to *AIChE Annual Meeting*, Minneapolis, MN, October 16-21, 2011.

Zhu, Y.; Zhu, W. H.; Tatarchuk, B. J. Breakdown of Polarization Losses in Button Sized SOFCs and a Prismatic Stack via Impedance Spectroscopy. Fuels and petrochemicals division: Fuel cell technology and alternate fuels & new technology, presented to *The AIChE Annual Meeting*, Salt Lake City, UT, November 7-12, 2010.

Zhu, W. H.; Zhu, Y.; Tatarchuk, B. J. Self-Discharge Evaluation of Ni-MH Battery Using Metal Hydride Alloy for Energy Storage Applications. Materials Engineering and Sciences Division: Composites for Energy Applications. Presented to *AIChE Annual Meeting*, Salt Lake City, UT, November 7-12, 2010.

Zhu, Y.; Zhu, W. H.; Tatarchuk, B. J. AC Impedance Study of Mass Transfer Processes and Hydrogen Oxidation Reaction in Solid Oxide Fuel Cells. Presented to *The 44th Power Sources Conference, Section: Fuel Cells, Fuel Processing, and Storage*, #16.2, Las Vegas, Nevada, June 14-17, 2010.

Zhu, W. H.; Zhu, Y.; Tatarchuk, B. J. Advanced Pb-Acid Batteries for Potential High-Rate Power Applications. Presented to *The 44th Power Sources Conference, Section 5: Aqueous Batteries (Primary and Secondary)*, # 5.1, Las Vegas, Nevada, June 14-17, 2010.

Zhu, Y.; Zhu, W. H.; Tatarchuk, B. J. AC Impedance in Characterization of SOFC and Interpretation of a Low Frequency Inductive Loop. Fuels and petrochemicals division: fuel cell technology, presented to *The AIChE Annual Meeting*, Nashville, TN, November 8-13, 2009.

Zhu, W. H.; Zhu, Y.; Tatarchuk, B. J. Massive Deep-Cycle Pb-Acid Batteries for Energy Storage Applications. Sustainable Electricity: Generation and Storage, presented to *AIChE Annual Meeting*, Nashville, TN, November 8-13, 2009.

Zhu, W. H.; Zhu, Y.; Payne, R.U.; Tatarchuk, B. J. Electrical Characterization of Lead-Acid Battery at Load for HEV Applications. Presented to *AIChE Annual Meeting: Battery and Fuel Cell Energy Storage on Vehicles*, Philadelphia, PA, November 16-21, 2008.

Zhu, Y.; Payne, R.U.; Zhu, W. H.; Tatarchuk, B. J. Determining Kinetics and Mass Transfer Limiting Behavior of a Solid Oxide Fuel Cell via AC impedance. Presented to *AIChE Annual Meeting: Novel Electrochemistry and Materials for Fuel Cells II*, Philadelphia, PA, November 16-21, 2008.

Zhu, W. H.; Tatarchuk, B. J. An Application of AC Impedance Technique in PEM Stacks. Presented to *The 16th DICP Symposium on Fuel Cells, Section 3-4 (Key Technology and Fundamental)*, Dalian, China, May 25-28, 2008.

Payne, R.U.; Zhu, W. H.; Tatarchuk, B. J. Mechanistic Discrimination of Circuit Elements in Fuel-Cell Equivalent-Circuit Model. Presented to *The 43rd Power Sources Conference, Section 15: Fuel Cells, Fuel Processing, and Storage V*, Philadelphia, Pennsylvania, July 7-10, 2008.

Payne, R.U.; Zhu, W. H.; Cahela, D.R.; Tatarchuk, B. J. Modeling The Gas Distribution And Kinetic Effects of Dilute Anode Reactant Feeds in a 47-Cell PEM Stack. Presented to *The National Meeting of the American Institute of Chemical Engineers*, Salt Lake City, Utah, November 4-9, 2007.

Zhu, W. H.; Payne, R.U.; Cahela, D.R.; Nelms, R.M.; Tatarchuk, B. J. In Situ Electrical Characterization of PEM Fuel Cells at Load. Presented to *The National Meeting of the American Institute of Chemical Engineers*, Salt Lake City, Utah, November 4-9, 2007.

Zhu, W. H.; Tiwari, A.; Yang, H.; Payne, R.U.; Tatarchuk, B. J. Removal of Tap Water Contaminants for Drinking Consideration. *2007 Water Resources Conference*, National Resources Management & Development Institute, Auburn, AL, June 14-15, 2007.

Zhu, W. H.; Payne, R.U.; Cahela, D.R.; Nelms, R.M.; Tatarchuk, B. J. Equivalent Circuit Models for Polymer Electrolyte Fuel Cell Stacks in Parallel at Operational Loads.

Presented to *The National Meeting of the American Institute of Chemical Engineers*, San Francisco, California, November 12-17, 2006.

Payne, R.U.; Zhu, W. H.; Tatarchuk, B. J. Residence Time Distribution of Anode Impurity Pulses in a 47-Cell Commercial PEM Stack. Presented to *The National Meeting of the American Institute of Chemical Engineers*, San Francisco, California, November 12-17, 2006.

Payne, R.U.; Zhu, W. H.; Shathitsuksanoh, N.; Chitta, P.; Kennedy, D.; Luna, E.; Tiwari, A.; Tatarchuk, B. J. Alternative Energy = Renewable Bio Fuels + Fuel Cells. *Alternative Energy Solutions from Alabama's Natural Resources*, Section P-65, Auburn, Alabama, October 23-24, 2006.

Zhu, W. H.; Payne, R.U.; Cahela, D.R.; Nelms, R.M.; Tatarchuk, B. J. Performance Analysis of PEM Stacks at Operational Loads Using Equivalent Circuit Models. Presented to *The 42nd Power Sources Conference*, P1.11, Philadelphia, Pennsylvania, June 12-15, 2006.

Zhu, W. H.; Payne, R. U.; Cahela, D. R.; Nelms, R. M.; Tatarchuk, B. J. PSpice Simulation via AC Impedance for PEFC at Operational Loads. Presented to *The National Meeting of the American Institute of Chemical Engineers*, Cincinnati, Ohio, October 30 – November 4, 2005.

Zhu, W. H.; Payne, R. U.; Lu, Y.; Tatarchuk, B. J. Operation of a PEM Stack with High Impurity Anode Feeds in a Recycle Mode. Presented to *The National Meeting of the American Institute of Chemical Engineers*, Austin, Texas, November 2004.

Zhu, W. H.; Payne, R. U.; Cahela, D. R.; Tatarchuk, B. J. In-Situ Assessment of PEM Fuel Cells via AC Impedance at Operational Loads. Presented to *The National Meeting of the American Institute of Chemical Engineers*, Austin, TX, November 2004.

Zhu, W. H.; Payne, R. U.; Yang, H.; Tatarchuk, B. J. Operation of PEM Stacks Utilizing Hydrogen Feeds with High Levels of Inert Gases. Presented to *The 41st Power Sources Conference*, Philadelphia, PA, June 15, 2004.

Zhu, W. H.; Cahela, D. R.; Payne, R. U.; Tatarchuk, B. J. Diagnosis of Commercial PEM Fuel Cells via the Impedance Response. Presented to *The 41st Power Sources Conference*, Philadelphia, PA, June 16, 2004.

Zhu, W. H.; Cahela, D. R.; Tatarchuk, B. J. Development of Ultra-Thin Microfibrous Cathodes for Zinc/Air Pulse Applications. Presented to *The 40th Power Sources Conference*, 11.2, Cherry Hill, NJ, June 10-13, 2002.

Zhu, W. H.; McGee, B. R.; Nelms, R. M.; Tatarchuk, B. J. Thermal Management and Stack Pulse Operation of PEM Fuel Cells. Presented to *The 40th Power Sources Conference*, 19.5, Cherry Hill, NJ, June 10-13, 2002.